

Copper Patch Panel



DATA SHEET

444 20 8895 6455

info@webbinfra.com

info@webbinfra.com

www.webbinfra.com



1U CAT6A 24 Ports UTP Patch Panel

1U CAT6A 24 ports UTP patch panel has shutter for 6 CAT6A modules.

Features

- 6 CAT6A modules in 4 blocks for 24 ports UTP 1U patch panel with shutter
- 19" mountable
- Meets/exceeds the existing T568A and T568B standards
- IDC: Tool-less category (CAT6A UTP keystone & slender design)



*Specifications are subject to change without notice based on technical recommendations and related product enhancements



Specifications

- Designed for 22-26 AWG solid conductors
- IDC contact material: phosphor bronze with tin-coating over nickel
- Contact material: phosphor bronze with gold-coating over nickel
- Panel frame: black or ivory electro static powder-coated steel
- Housing material: ABS or PC; UL94-V0 or UL94-V2

Electrical Characteristics

Insulation: 500 mohm

Dielectric voltage resistance: 1000 V AC RMS, 60Hz/1minute

Product Description

Part number	C.08.CPP.CA.24.UTP.S.B.E
Color	Black/grey
Number of ports	24
Material	SPCC steel
Shield	UTP

^{*}Specifications are subject to change without notice based on technical recommendations and related product enhancements